



# KROSS®

Empowering Oil



# Grease KROSS® LiCa-2

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 Product Identifier

KROSS® LiCa-2

### 1.2 Identified Uses

Lithium-calcium 12-hydroxystearate lubricating grease

Use of the product should be with the safety instructions when working in this sheet

Distribution of substances / mixtures

Formulation and repackaging of substances and mixtures

### Uses advised

This product should not be used for purposes other than those recommended

### 1.3 Details of the Supplier of SDS

CONEX DISTRIBUTION SA, Calea Chisinaului nr. 32, IASI, Romania

Phone: +40 232 273 443; e-mail: office@conexdist.ro

### 1.4 Emergency Telephone Number

Phone: +40 232 273 443 (int.112) (9:00-17:00)

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the Substance or Mixture under the criteria of Directive 1272/2008/EC

This product is not classified as dangerous under the criteria of Directives 1272/2008/EC

### 2.2 Label Elements

#### Signal word

-

#### Pictogram (s) Hazard

-

#### Hazard warning

-

#### Recommendation for risk

P101- If medical advice is needed, have product container or label at hand.

P102-Keep out of reach of children

#### -prevention

P264- Wash eyes and skin thoroughly after handling.

P280- Wear protective gloves/protective clothing/eye protection/face protection.

#### -in reaction -

#### -at storage -

#### -for disposal

P501-- Dispose of contents/container to in accordance with local / national regulations

#### Additional label elements

EUH210- Safety data sheet available on request

### 2.3 Other Hazards

The product is not and does not contains a substance which meets the criteria for PBT and vPvB in accordance with Annex XIII.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Mixtures

Mixture Description: A lithium-calcium 12-hydroxystearate lubricating grease containing highly-refined mineral oil.

Substance name	REACH Registration No.	EINECS/CAS No.	% (m/m)	Classification (EU) No.1272/2008
Lubricating oils(petroleum), C24-50, solvent-extd. Dewaxed, hydrogenated	01-2119489969-06	309-877-7/101316-72-7	<90.0	Not classified
12-hydroxyoctadecanoic acid	**	203-366-1/106-14-9	<7.0	Skin. Irrit.2 H315 Eye Irrit.2 H319 STOT SE3; H335
Lithium hydroxide monohydrate	**	215-183-4/1310-66-3	<2.0	Acute Tox. H302 Skin. Corr. H314 Skin Irrit 2
Calcium dihydroxid	01-2119475151-45-XXXX	215-137-3/1305-62-0	<1.0	Eye Irrit. 1 H315/318/335
Calcium soap fatty acids	**	**	<1.0	Not classified
2- Naphthalenol,1,4- phenyl	**	296-120-8/92257-31-3	0.01-0.02	Repr. 2 H361 Flam. Liq.3 H226 Acut. Tox.4 H332, H312
Xylene	**	215-535-7/1330-20-7	0.005-0.008	Skin. Irrit.2 H319 Eye Irrit.2 H319 Stot. SE3 H335 Flam. Liq.2 H225
Ethyl benzene	**	202-849-4/100-41-4	0.001-0.002	Acut. Tox.4 H332, Stot. RE2 H373

All of mineral oils are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractable by the IP 346 test. ECHA List Numbers are not listed and do not have any legal significance rather they are purely technical identifiers and are displayed only for information. For a full text of R- and H- phrases: See section 16

\*\* Not available or not currently required registration under REACH

## 4. FIRST AID MEASURES

### 4.1 Description of First Aid Measures

#### Inhalation

If irritation, headache, nausea, or drowsiness occurs, remove to fresh air. Get medical attention if breathing becomes difficult or symptoms persist.

#### Skin Contact

Wash skin with plenty of soap and water for several minutes. Get medical attention if skin irritation develops or persists

#### Eye Contact

Flush eyes with plenty of water for several minutes. Get medical attention if eye irritation persists.

#### Ingestion

DO NOT INDUCE VOMITING. Get medical attention. Never give anything by mouth to an unconscious or convulsing person.

#### Need of immediate medical attention

If nausea or irritations do not appear after ingestion, give medical carbon in water slurry (3 tablespoons in one liter water).



**KROSS®**

**Empowering Oil**

#### 4.2 Most important symptoms and effects, both acute and delayed

Prolonged inhalation of unusually high concentrations of product mist or vapors may cause nose and lung irritation, headache, nausea and drowsiness.

Prolonged or repeated skin contact may produce allergic reactions such as redness, rash and dermatitis.

Prolonged eye contact may cause irritation, redness and discomfort.

If more than several mouthfuls are swallowed, abdominal discomfort, nausea, and diarrhea may occur.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing Media

##### Suitable extinguishing media:

Use water fog, dry powder, foam or carbon dioxide. Use water to cool fire-exposed containers. If the leak or spill has not ignited, use water fog to disperse the vapours and to provide protection for personnel attempting to stop the leak.

##### Unsuitable extinguishing media:

Water jet

#### 5.2 Special hazards arising from the substance or mixture

None

#### 5.3 Advice for firefighters

##### Special protective equipment for fire fighters

The nature of special protective equipment required will depend upon the size of the fire, the degree of confinement of the fire and the natural ventilation available. Fire-resistant clothing and self-contained breathing apparatus is recommended for fires in confined spaces and poorly ventilated areas. Full fireproof clothing is recommended for any large fires involving this product.

##### Extinguishing procedures

In case of fire - Always call the fire brigade. Small fires, such as those capable of being fought with a hand-held extinguisher, can normally be fought by a person who has received instruction on the hazards of flammable liquid fires. Fires that are beyond that stage should only be tackled by people who have received hands-on training. Ensure escape path's available.

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal Protective Equipment must be worn as per the requirements for petroleum products handling. Ventilate area if spilled in confined space or other poorly ventilated areas. Evacuate people without adequate PPE.

#### 6.2 Environmental Precautions

Prevent entry into sewers and waterways. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material.

#### 6.3 Methods and Material for Containment and Cleaning up

Clean-up spill as soon as possible while following the requirements for exposure control/personal protection. Use sand and sawdust to clean. Use appropriate cleaning techniques such as absorption by fire resistant material or pumping.

### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid prolonged or repeated contact with skin. Avoid breathing of vapours. Wash hands after handling. Do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers closed when not in use. Avoid exposure to heat. Store at ambient temperature. Do not store in the vicinity of explosive substances, compressed, liquefied or pressurized gases, flammable liquids or oxidizing agents.

#### 7.3 Specific end use(s)

In accordance with the relevant product specification.

### 8. EXPOSURE CONTROL/PERSONAL PROTECTION

#### 8.1 Control Parameters

##### Occupational exposure limits

-

#### 8.2 Exposure Controls

##### Engineering Controls

Use in well ventilated areas.

##### Respiratory protection

Under normal use conditions, respirator is not usually required. If vapour or mist is generated, use approved respirator as appropriate.

##### Eye protection

##### Safety goggles

##### Hand protection

Neoprene gloves; time for wearing out the gloves material >30 minutes.

##### Skin/Body protection

Exposed employees should exercise reasonable personal cleanliness. This includes cleansing exposed skin areas several times daily with soap and water and laundering or dry cleaning soiled work clothing. Long sleeve shirt is recommended. Use chemically protective boots when necessary to avoid contaminating shoes. Do not wear rings, watches or similar apparel that could entrap the material and cause a skin reaction.

##### Environmental Exposure Control

May form an oil film leading to de-oxygenation of water and possible harmful effect on aquatic life.

Product can penetrate soil until reaching the surface of ground water (in the presence of ground water).

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance	Homogeneous paste
Odor	Specific
Color	Red
pH	not applicable
Freezing Point	not applicable
Boiling point/Boiling range, °C	not applicable
Flashpoint, °C, COC	240
Evaporation rate	No data available
Flammability (solid, gas)	not applicable
Upper/lower flammability or explosive limits	not applicable
Vapor pressure	not applicable
Vapor density (air=1)	not applicable
Relative Density at 20°C, g/ml	<1
Solubility	Soluble in organic solvents; non-soluble in water
Partition coefficient: n-octanol/water	No data available
Auto ignition temperature	not applicable
Decomposition temperature	not applicable
Viscosity, cSt	100 cSt 40°C ( for base oil)
Explosive properties	none
Oxidising properties	none



**KROSS®**

**Empowering Oil**

## 9.2 Other information

Dropping point, °C

173

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

Not expected to enter into reactions.

### 10.2 Chemical Stability

The product is considered chemically stable at normal storage and handling conditions.

### 10.3 Possibility of hazardous reactions

None

### 10.4 Conditions to avoid

This product is normally stable at moderately elevated temperatures and pressures

### 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

Smoke, carbon monoxide and other products of incomplete combustion

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on Toxicological Effects

#### Eye contact toxicity

Not expected to cause eye irritation. Base oil tested in accordance with Method OECD 405. May cause minimal irritation or redness if accidental eye contact occurs

#### Skin contact toxicity

Acute dermal toxicity:

LD50 (rabbits) for base oil: > 2 g/kg - Base oil tested in accordance with OECD 404.

Not expected to be skin irritant. Prolonged or repeated skin contact as from clothing wetted with material may cause dermatitis.

#### Ingestion toxicity

Acute oral toxicity:

LD50 (rats) for base oil: > 5 g/kg - Base oil tested in accordance with Method OECD 405 - low toxicity.

Unlikely to cause harm if accidentally swallowed in small doses, though larger quantities may cause nausea and diarrhoea.

#### Inhalation toxicity

If material is misted or if vapours are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.

#### Sensibilisation

This product is not a sensibliser

#### Chronic effects

Carcinogenicity	This product is not carcinogenic – DMSO extract <3%.
Mutagenicity	This product is not mutagenic
Toxicity for reproduction	This product is not toxic for reproduction. Base oil tested in accordance with procedure OECD 421 or 422.
Other Toxicity Effects	No data available

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

LC50 for base oil (96 hours for fish) is > 100mg/l

LE50 for base oils (48 hours for Daphnia) is > 10,000mg/l

Very low toxicity

### 12.2 Persistence and degradability

This product is not readily biodegradable. Information about base oil-Inherent biodegradability <22% after 28 days ( OECD 301B)

### 12.3 Bioaccumulative potential

Log KOW for base oils is in the range 3.9-6.0. Partition coefficient n-octanol/water. A value Log KOW > 3.0 indicates possible bioaccumulation.

### 12.4 Mobility in soil

Low, due to low water solubility. Spillage may penetrate the soil causing ground water contamination

### 12.5 Results of PBT and vPvB assessment

This product is not and does not contain any substance that is potential PBT or vPvB.

### 12.6 Other adverse effects

May form an oil film leading to deoxygenation of water and possible harmful effect on aquatic life

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste Treatment Methods

Dispose empty lubricant containers at approved for such wastes places. Follow all state or local regulations and requirements for disposal, recycle or reclaiming of waste oils and petroleum products.

Waste Code 13 08 99 \*(In accordance with European Waste Catalogue)

## 14. TRANSPORT INFORMATION

### 14.1 UN number

none

### 14.2 UN proper shipping name

Not applicable

### 14.3 Transport hazard class(es)

none

### 14.4 Packing Group

Not applicable

### 14.5 Environmental Hazards

ADR/RID – not regulated as dangerous goods

IMDG – not regulated as dangerous goods

IATA – not regulated as dangerous goods

### 14.6 Special Precautions for User

None

## 15. REGULATORY INFORMATION

SDS prepared according to Appendix I of Regulation (EU) No.453/2010, that supersedes Appendix II of Regulation (EU) No. 1907/2006.

Regulation (EC) № 1272/2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Regulation (EC) No 1907/2006 concerning REACH

EUCLID Data Sheet for base oil – European commission-European Chemical Bureau

### Chemical safety Assessment

None

## 16. OTHER INFORMATION

### Revision Data

New SDS according to Regulation (EU) No. 1272/2008

### Revised sections

-

### Date of issue

05.01.2015



**KROSS**<sup>®</sup>

**Empowering Oil**

**Regulation (EU) No. 1272/2008**

H319-Irritating to eyes

H411-Chronic toxicity

H315-Irritating to skin

H335-Harmful by inhalation

H314-Causes severe burns

H301-Harmful if swallowed

This information is the best of our current knowledge, and is believed to be correct as of the date hereof, and is intended to describe the product only in terms of health and safety and environmental requirements. Since the conditions of use are outside our control, any recommendations and suggestions are made without guarantee.

